



Living with Renal Disease

Last reviewed February 2022

Geriatric Assessment in Advance Kidney Disease

<https://cjasn.asnjournals.org/content/clinjasn/14/7/1091.full.pdf?with-ds=yes>

This article discusses the increase need of systematic approach for the assessment and management of growing older adult population with advanced kidney disease, including incorporating Comprehensive Geriatric Assessment and care into routine management. (OPEN ACCESS)

Frailty Screening in Chronic Kidney Disease: Current Perspectives

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6901033/>

This literature review aimed to highlight the value of frailty screening in chronic kidney disease (CKD) by summarizing the outcomes associated with frailty and exploring proposed changes to the management of frail patients with CKD. (OPEN ACCESS)

Beyond Chronic Kidney Disease: The Diagnosis of Renal Disease in the Elderly as an Unmet Need. A Position Paper Endorsed by Italian Society of Nephrology (SIN) and Italian Society of Geriatrics and Gerontology (SIGG)

<https://link.springer.com/article/10.1007/s40620-019-00584-4>

This paper aimed to summarize the evidence about differences between physiologic aging of the kidney and progressive kidney disease, as well as challenges in diagnosing kidney disease among older adults. (OPEN ACCESS)

The Management of Hypertension in Elderly Patients with Chronic Kidney Disease

<https://cdn.mdedge.com/files/s3fs-public/Document/April-2018/jcom02505211.PDF>

This paper aimed to review the epidemiology and physiology of renal disease in the elderly, provide an analysis of the available data regarding management of hypertension in the elderly, and suggest an approach to management of hypertension in the older adults. (OPEN ACCESS)

Renal Function Associates with Energy Intake in Elderly Community-Dwelling Men

<https://www.cambridge.org/core/journals/british-journal-of-nutrition/article/renal-function-associates-with-energy-intake-in-elderly-communitydwelling-men/8B82F9AFE1EA0B1224302F4451C8A01F>

This study aimed to investigate the association between renal function and energy intake in a population-based community of elderly men. (OPEN ACCESS)

Living with Renal Disease

Protein Nutrition and Malnutrition in CKD and ESRD

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5372871/>

This literature review aimed to investigate updated information, integrating previous knowledge with a specific focus on the unique aspect of protein balance and nutrition in chronic kidney disease and end stage kidney disease. (OPEN ACCESS)

Sodium Intake and Chronic Kidney Disease

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7369961/>

This literature review aimed to address importance of the kidney in the sodium regulation, the relationship of sodium intake with hypertension from earlier chronic kidney disease (CKD) stage to end-stage kidney disease (ESKD), and the available evidence on the benefit of salt restriction in non-dialysis CKD and in the ESKD population. (OPEN ACCESS)

Exercise and CKD: Skeletal Muscle Dysfunction and Practical Application of Exercise to Prevent and Treat Physical Impairments in CKD

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5441955/>

This literature review focuses on the impact of kidney disease on skeletal muscle dysfunction in the context of the disablement process and reviews screening and treatment strategies that kidney health professionals can employ in clinical practice to prevent functional decline and disability. (OPEN ACCESS)

Quality of Care in Chronic Kidney Disease and Incidence of End-Stage Renal Disease in Older Patients

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7289129/>

This study aimed to assess the quality of CKD care among older adults and to clarify its association with the incidence of end-stage renal disease. (OPEN ACCESS)

Quality of life, symptoms, and sleep quality of elderly with end-stage renal disease receiving conservative management: A Systematic Review

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6500052/>

This systematic review aimed to examine the quality of life, symptoms, and sleep quality of elderly patients with ESKD undergoing conservative management. (PAID ACCESS)

Association of Age with Risk of Kidney Failure in Adults with Stage IV Chronic Kidney Disease in Canada

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7501537/>

This population-based study aimed to investigate the risk of kidney failure and death in adults with severe chronic kidney disease, a major risk factor of and precursor to kidney failure. (OPEN ACCESS)

Living with Renal Disease

Older Adults Experience with a Shared Decision-Making Process on Choosing Dialysis or Conservative Care for Advanced Chronic Kidney Disease: A Survey Study

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6635995/>

This survey study aimed to assess and compare older adults' experiences with, and preferences for, a shared decision-making process on dialysis or conservative care. (OPEN ACCESS)

Comparing the Impact of Older Age on Outcome in Chronic Kidney Disease of Different Etiologies: A Prospective Cohort Study

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6244557/>

This study aimed to determine the relative risk of death in older adults compared to young patients with CKD, and explore the likelihood of older versus younger patients reaching ESKD in the context of increasing risk of death with older age. (OPEN ACCESS)

End-of-Life Experience of Older Adults Dying of End-Stage Renal Disease: A Comparison with Cancer

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5786651/>

This study aimed to compare advance care planning and end-of-life decision-making, treatment intensity, and symptoms for older adults dying of end stage renal disease with those dying of cancer. (OPEN ACCESS)

Cost and Outcomes of Advance Care Planning and End-of-Life Care for Older Adults with End-Stage Kidney Disease: A Person-Centered Decision Analysis

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6544277/>

This study aimed to incorporate all available evidence into a decision analysis and examine the cost-effectiveness of advance care planning compared to usual care of older patients with ESKD managed on dialysis. (OPEN ACCESS)